



## Washed natural sand (0/4)

### Product codes:

Reference: 707

Arid size:  $\leq 4$  mm

E.A.:  $\geq 75$

Methylene blue: MBf10

Water soluble chlorides:  $< 0,02\%$

Total sulfur content:  $< 0,10\%$

Acid soluble sulfates: AS 0,8

Organic Matter Content: Sin Materia  
Orgánica

LAFAC washed natural 0/4 mm sand is a natural siliceous / calcareous aggregate, with a coarse grain size of 4 mm, from an extraction zone made up of sedimentary river material.

### PRESENTATION

25 kg bags (approx.)



938 69 84 19

PRODUCTOS LAFAC, S.L.  
Galileo Galilei, Parc. 3  
08083 CALAF (Barcelona)  
Tel. 93 869 84 19  
e-mail: lafac@lafac.cat

**LAFAC**  
ÁRIDOS Y CEMENTOS



Pallets 56 bags

Big Bags 1 Tm

## APPLICATIONS

LAFAC washed natural sand 0 / 4mm is recommended for the manufacture of concrete, precast, and so on. Suitable for general uses of gardening, manufacture of substrates, burying tanks and service trenches. Realization of all types of masonry mortars.

## FEATURES

Sand suitable for the manufacture of structural concretes (EHE), all types of mortars, both masonry and technical mortars.

Its composition is basically silica and limestone, although it contains other components.

## QUALITY

The 0/4 Lafac sand is subjected to tests for its different uses according to the following regulations:

UNE EN 12620 Concrete

UNE EN 13139 Masonry Mortars

UNE EN 13043 Bituminous mixtures



**938 69 84 19**

PRODUCTOS LAFAC, S.L.  
Galileo Galilei, Parc. 3  
08083 CALAF (Barcelona)  
Tel. 93 869 84 19  
e-mail: lafac@lafac.cat





---

Productos LAFAC SL guarantees that it complies with the values published in this product technical sheet.

All Mortars Manufactured by PRODUCTOS LAFAC, SL are made under the CE Conformity certificate number: 1170 / CDP / MR / .00076



**938 69 84 19**

PRODUCTOS LAFAC, S.L.  
Galileo Galilei, Parc. 3  
08083 CALAF (Barcelona)  
Tel. 93 869 84 19  
e-mail: lafac@lafac.cat

