

LAFAC

ÁRIDOS Y CEMENTOS



Marble grit

Product codes:

Reference: 1200

Arid size: ≤ 2 mm

E.A.: ≥ 90

Methylene blue: MBf1,33

Water soluble chlorides: $< 0,01\%$

Total sulfur content: $< 0,01\%$

SIZE 0/2 mm | UNE EN 146901

LAFAC Marble grit with a granulometry 0/2 mm is a product obtained from the crushing of metamorphic rock composed of Calcium Carbonate and magnesium.

PRESENTATION

25 kg bags (approx.)

Pallets 48 bags

PRODUCT



938 69 84 19

PRODUCTOS LAFAC, S.L.
Galileo Galilei, Parc. 3
08083 CALAF (Barcelona)
Tel. 93 869 84 19
e-mail: lafac@lafac.cat

LAFAC
ÁRIDOS Y CEMENTOS



LAFAC Marble grit with a 0/2 mm granulometry is a product obtained from the crushing of metamorphic rock composed of Calcium Carbonate and magnesium.

APPLICATIONS

LAFAC marble grit is an ideal product for use in concrete and mortar formulations, as well as in the chemical industry.

FEATURES

LAFAC marble grit is a high quality sand.

QUALITY

LAFAC marble grit is subjected to tests for its different uses according to the following regulations:

UNE EN 12620 Concrete

UNE EN 13139 Masonry Mortars

Productos LAFAC SL guarantees that it complies with the values published in this product technical sheet.

All Mortars Manufactured by PRODUCTOS LAFAC, SL are made under the CE Conformity Certificate No.: 1170 / CDP / MR / .00076



938 69 84 19

PRODUCTOS LAFAC, S.L.
Galileo Galilei, Parc. 3
08083 CALAF (Barcelona)
Tel. 93 869 84 19
e-mail: lafac@lafac.cat



LAFAC

ÁRIDOS Y CEMENTOS



938 69 84 19

PRODUCTOS LAFAC, S.L.
Galileo Galilei, Parc. 3
08083 CALAF (Barcelona)
Tel. 93 869 84 19
e-mail: lafac@lafac.cat

LAFAC
ÁRIDOS Y CEMENTOS