

# LAFAC

ÁRIDOS Y CEMENTOS



## Mix (Sand + Gravel)

### Product codes:

Reference: 710

Arid size:  $\leq 4$  mm

E.A.:  $\geq 75$

Methylene blue: MBf10

Water soluble chlorides:  $< 0,02\%$

Total sulfur content:  $< 0,10\%$

Acid soluble sulfates: AS 0,8

Organic Matter Content: Sin Materia  
Orgánica

The LAFAC mix (sand + gravel) is a composition of 0/4 natural sand and 4/12 mm gravel.

### PRESENTATION

25 kg bags (approx.)

Pallets 56 bags



938 69 84 19

PRODUCTOS LAFAC, S.L.  
Galileo Galilei, Parc. 3  
08083 CALAF (Barcelona)  
Tel. 93 869 84 19  
e-mail: lafac@lafac.cat

**LAFAC**  
ÁRIDOS Y CEMENTOS

# LAFAC

ÁRIDOS Y CEMENTOS

Big Bags 1 Tm

## APPLICATIONS

The LAFAC mixture (sand + gravel) is a product that can be used for the manufacture of general purpose concrete.

## FEATURES

The LAFAC mixture (sand + gravel) is designed for the production of concrete on site.

## QUALITY

The LAFAC mixture (sand + gravel) is subjected to tests for its different uses according to the following regulations:

UNE EN 12620 Concrete

## COMPOSITION

Its composition is a mixture of 4 mm limestone sand and a 5/12 mm aggregate, also limestone.

---

Productos LAFAC SL guarantees that it complies with the values published in this product technical sheet.

All Mortars Manufactured by PRODUCTOS LAFAC, SL are made under the CE Conformity certificate number: 1170 / CDP / MR / .00076



938 69 84 19

PRODUCTOS LAFAC, S.L.  
Galileo Galilei, Parc. 3  
08083 CALAF (Barcelona)  
Tel. 93 869 84 19  
e-mail: lafac@lafac.cat

**LAFAC**  
ÁRIDOS Y CEMENTOS

# LAFAC

ÁRIDOS Y CEMENTOS



938 69 84 19

PRODUCTOS LAFAC, S.L.  
Galileo Galilei, Parc. 3  
08083 CALAF (Barcelona)  
Tel. 93 869 84 19  
e-mail: lafac@lafac.cat

**LAFAC**  
ÁRIDOS Y CEMENTOS