



# Fine washed natural sand (0/2)

# **Product codes:**

Reference: 700

Arid size: ≤ 2 mm

E.A.: ≥ 80

Methylene blue: MBf10

Water soluble chlorides: < 0,02% Total sulfur content: < 0,10% Acid soluble sulfates: AS 0,8

Organic Matter Content: Sin Materia

Orgánica

Fine washed natural 0/2 mm sand is silicic in nature and fine granulometry

## **PRESENTATION**

25 kg bags (approx.)

Pallets 56 bags









Big Bags 1 Tm

### **APPLICATIONS**

LAFAC fine washed natural sand 0/2 mm is a product that can be used as correction sand in concrete formulations, general uses in masonry mortar work and also for gardening work.

### **FEATURES**

LAFAC fine washed natural 0/2 mm sand is a high quality sand that has been screened and washed, giving a product with excellent characteristics.

Its composition is basically silica greater than 75%.

# **QUALITY**

LAFAC fine washed natural sand 0/2 mm is subjected to tests for its different uses according to the following regulations:

UNE EN 12620 Concrete

**UNE EN 13139 Masonry Mortars** 

UNE EN 13043 Bituminous mixtures

Productos LAFAC SL guarantees that it complies with the values published in this product technical sheet.









All Mortars Manufactured by PRODUCTOS LAFAC, SL are made under the CE Conformity certificate number: 1170 / CDP / MR / .00076





RODUC TOS LAFAC, S.L. Galileo Galilei, Parc. 3 08083 CALAF (Barcelona) Tel. 93 869 84 19 e-mail: lafac@lafac.cat

